Grade A Hithium 320AH Long Cycle Life 3.2V 310Ah 280Ah 300Ah Lifepo4 Lithium Ion Cell

Basic Information

Place of Origin: chinaBrand Name: enook

Model Number: 3.2V Lifepo4 Lithium Ion Battery



Product Specification

• Standard Rating Cycle: 2000 (0.5C/0.5C)

• Weight: 1920±100G

• Cycling Performance: 4000 Cycles (25), 2000 Cycles 45

• Size: 118.5(H)*160(W)*50.1(T)

• Discharging -35 ~65

Temperature:

Package: ABS/Metal Case Or OEM

OEM/ODM:
 Yes(Accepted)

• Storage Temperature: 0 ~35

• Highlight: 300Ah Grade A Hithium Battery,

310Ah Grade A Hithium Battery, 300Ah Lifepo4 Lithium Ion Cell



More Images











Product Description

Product Description:

The LifePo4 Lithium Ion Battery is made with 100% new A-grade cells, so you can be sure that you are getting a top-quality product. It is also available for OEM/ODM, so you can customize it to meet your specific requirements.

The standard charge-discharge rate for this battery pack is 0.5C(P), which is ideal for many applications. It also has a charging

temperature range of 0 ~65, which ensures that it can be charged safely and efficiently.

This battery pack is a 60v battery pack, which makes it ideal for use in a wide range of applications. Whether you need a reliable power source for your electric scooter, electric bike, or other electronic devices, the LifePo4 Lithium Ion Battery is an excellent choice.






Features:

Product Name: LifePo4 Lithium Ion Battery Battery Type: 3.2V 100Ah Lifepo4 Battery Standard Rating Cycle: 2000 (0.5C/0.5C)

Cycling Performance: 4000 Cycles (25),2000 Cycles(45)

Size: 118.5(H)*160(W)*50.1(T) **Voltage:** Customized

Keywords: 60v 15Ah 20ah 30ah 40ah 45ah 50ah 60ah, Hailong electric bike battery, removable battery for e-bike



207MM including stud height

Technical Parameters:

Storage Temperature	0 ~35
Discharging Temperature	-35 ~65
Weight	1920±100G
Package	ABS/Metal Case Or OEM
Voltage	Customized

OEM/ODM	Yes(Accepted)
Cycling Performance	4000 Cycles (25),2000 Cycles(45)
Charging Temperature	0 ~65
Battery Type	3.2V 100Ah Lifepo4 Battery
Capacity	Customized

This LifePo4 Lithium Ion Battery product is suitable for use as a 60v battery pack and as a lithium E-bike battery for electric bike/mountain bike/motorcycle/bicycle.

Model List & Parameters Product Advantages 3500 (0.5C/0.5C) Lf32 3.20 730±50 94.3±0.5 148.3±0.8 26.7±0.5 LF50F 3.20 50 2.0 1035±100 129.8±0.5 148.3±0.5 26.7±0.5 6000 (1c/1C) LF90K 1994±50 200.5±0.5 130.3±0.3 36.7±0.5 2000 (0.5C/0.5C) LF100MA 4000 (0.5C/0.5C) 1980±60 200.5±0.5 130.3±0.5 36.35±0.5 Lf105 4000 (0.5C/0.5C) 3000±100 153.5±0.5 173.9±0.5 53.85±0.5 4000 (0.5C/0.5C) 3190±96 207.5±0.5 173.9±0.5 41.06±0.5 Lf173 4000 (0.5C/0.5C) 4140±124 207.2±0.5 173.9±0.5 53.85±0.5 Lf230 6000 (0.5C/0.5C) 5420±300 207.2±0.5 173.7+0.5 LF280K 4000 (0.5C/0.5C) Lf304 5450±164 207.2±0.5 173.7±0.5



Applications:

One of the most common applications of enook 3.2V Lifepo4 Lithium Ion Battery is in the electric bike/mountain bike/motorcycle/bicycle industry. With a weight of approximately 4.0~40.0kg, the battery is easy to install and transport. The battery is ideal for use in long-distance travel, as it supports up to 2000 standard rating cycles at 0.5C/0.5C. enook 3.2V Lifepo4 Lithium Ion Battery is designed to operate within a wide temperature range. It can discharge at temperatures as low

enook 3.2V Lifepo4 Lithium Ion Battery is designed to operate within a wide temperature range. It can discharge at temperatures as low as -35 and as high as 65, making it suitable for use in various weather conditions. The battery's storage temperature should be kept between 0 and 35 to maintain its optimal performance.

between 0 and 35 to maintain its optimal performance.

Overall, enook 3.2V Lifepo4 Lithium Ion Battery is a reliable and efficient power source that can be used in various applications. Its high-quality cells, long cycle life, and wide temperature range make it an excellent choice for those who need a dependable battery to power their devices.




Customization:

Looking for a customized version of the enook 3.2V Lifepo4 Lithium Ion Battery? Look no further! Our product is proudly made in China and boasts a cycling performance of 4000 cycles at 25 and 2000 cycles at 45. The standard rating cycle is 2000 (0.5C/0.5C), making it a reliable choice for a variety of applications. The package comes in either an ABS/metal case or an OEM option, and weighs in at 1920±100G. The size is 118.5(H)*160(W)*50.1(T).

With our customization services, you can create the perfect 60v battery pack for your needs. Contact us today to learn more about how we can help you create the perfect 60v battery pack for your specific requirements.





Support and Services:

Our LifePo4 Lithium Ion Battery product comes with comprehensive technical support and services to ensure that our customers have a seamless experience. Our technical support team is available to answer any questions and provide assistance with installation, maintenance, and troubleshooting. We also offer repair and replacement services for any defective products. Additionally, we provide product documentation, including user manuals and data sheets, to ensure that our customers have all the information they need to use our products safely and effectively.



Packing and Shipping:

Product Packaging:

- 1 x LifePo4 Lithium Ion Battery
- 1 x User Manual
- 1 x Warranty Card

Shipping:

Ships within 1-2 business days

Free shipping within the United States

International shipping available with additional charges

PACKAGING

Product Advantages



















Shipping by















Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.

Company Introduction

ChangSha Enook Technology Co., Ltd located is an outstanding solution service provider in Lithium Battery Management System(BMS) industry, focusing on the R&D, design, production and sales of Apexium DIY kits, BMS and batterels for more than 15 years. With its strength, it can provide customers with first-class software and hardware devel-opment and after-sales services.

Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.

In addition, we have obtained certificates. MSDS UN38.3 MSDS, ROHS, UL. ect. All our products keep selling wellnot only around

Clillia, but also mosa, minippines, Germany, Englandaustralia, Russia, France and other Europen and Asia countries. Fast delivery is one of our advantage, selecting a current products from catalogue, or customized products, 3~5 days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Please don't hesitate to contact us if you have any requirement, we'll provideour best service to you.

Our Factory













Company Exhibition

















(+8617752866093 wendy@enooktech.com enookbattery.com

ROOM 1717, JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT, CHANGSHA, HUNAN